

BIOCOOL 3520

SYNTHETIC FLUID FOR GRINDING OPERATIONS

Synthetic fluid

DESCRIPTION

BIOCOOL 3520 is a water soluble metalworking fluid concentrate dedicated for carbides and hard steel grinding which require advanced cooling properties.

BIOCOOL 3520 is recommended for all grinding operations on ferrous metals and hard steel alloys.

BENEFITS

- Avoid cobalt leaching
- Excellent cooling and detergency properties
- Low foaming product
- Good separation of tramp oils
- Very good particles settling properties
- Excellent bio stability and stability in use
- Operator friendly
- Cleanliness of working environment

HEALTH & SAFETY

- Formaldehydes & formaldehydes releasers free
- Nitrites and DEA free, without chlorinated, phosphorous and sulfur additives
- Operator friendly: good dermatological behavior and easy to use


RECOMMENDED APPLICATIONS & DILUTIONS OF USE

- Grinding of iron and steel 3-6%

The refractometer reading must be multiplied by the refractometer factor to arrive at the real concentration.

TECHNICAL INFORMATION

TYPICAL CHARACTERISTICS	UNITS	METHOD	BIOCOOL 3520
Appearance			Yellow liquid
Density at 20°C		ISO 12.185	1.090
pH at 5%		NFT 60.193	9.4
Break Point Corrosion	%	IP 287	3
Water Hardness range recommended	ppm		0 - 600
Refractometer Factor			2.15



INSTRUCTIONS

Before first fill, thoroughly clean the installation with an antiseptic such as **Contram CB3**. Drain and rinse the system with water.

If no volumetric mixing system is available, slowly pour **BIOCOOL 3520** into water while stirring continuously to achieve a correct preparation of the emulsion.

To ensure the best quality of emulsion and maximize the fluid efficiency, consult the **Good Practices Handbook - Metalworking Soluble Fluids**.

SERVICE AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and in-use monitoring of your lubricants. Please contact your technical sales representative

IMPORTANT NOTICE

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary. The safety data sheet of this product is available at www.motul.com