

# **STABILIS 9220**

MULTIPURPOSE FINE EMULSION

# Fine emulsion

# DESCRIPTION

**STABILIS 9220** is a water soluble metalworking fluid concentrate developed for all machining operations that require good cooling properties.

**STABILIS 9220** is recommended for the machining of ferrous and non-ferrous alloys, including standard aluminiums.

Based on a specific chemistry, STABILIS 9220 can be diluted in soft water or hard water.

# BENEFITS

- Excellent lubricating and cooling properties
- Optimization of surface roughness and finishes
- Excellent stability and bio stability in use
- Excellent non foaming properties
- Operator friendly
- Cleanliness of working environment

# **HEALTH & SAFETY**

- Bactericide, formaldehydes & formaldehydes releasers free
- Nitrites, DEA and glycol ether free, without chlorinated and phosphorous additives
- Operator friendly: good dermatological behavior and easy to use





# **RECOMMENDED APPLICATIONS & DILUTIONS OF USE**


- General machining of aluminium: 6-8%
- Tapping/ Threading/ Reaming: 6-12%
- General machining of steel: 4-6%
- Difficult machining of steel: 6-12%

The refractometer reading must be multiplied by the refractometer factor to arrive at the real concentration.

**STABILIS 9220** can be used for machining of aluminium and copper alloys. However, we recommend to check the tendency of the alloy to stain before use

#### **TECHNICAL INFORMATION**

TYPICAL CHARACTERISTICS	UNITS	METHOD	STABILIS 9220
Appearance			Yellow liquid
Density at 20°C		ISO 12.185	0.996
pH at 5%		NFT 60.193	9.0
Break Point Corrosion	%	IP 287	1
Water Hardness range recommended	ppm		100 - 600
Refractometer Factor			4.2



Creation Date: 02/2008 Revision Date: 11/2022





#### **INSTRUCTIONS**

Before first fill, thoroughly clean the installation with an antiseptic such as **Contram CB3**. Drain and rinse the system with water.

If no volumetric mixing system is available, slowly pour **STABILIS 9220** into water while stirring continuously to achieve a correct preparation of the emulsion.

To ensure the best quality of emulsion and maximize the fluid efficiency, consult the **Good Practices Handbook - Metalworking Soluble Fluids**.

# SERVICE AND EQUIPMENT

In addition to its product ranges, MotulTech can provide tools and services for the maintenance and in-use monitoring of your lubricants. Please contact your technical sales representative

# **IMPORTANT NOTICE**

All information and rules about health, safety and the environment are mentioned on the safety data sheet. It provides information about risks, safety procedures and first aid emergency rules. It clarifies all procedures to implement in the case of an accidental spillage, and for the disposal of the product and its effects on the environment.

Our product contains natural additives which are likely to modify the colour of the concentrates without altering its performance. The specifications of our products are definite only at the time of order, and are subject to our general sale and guarantee conditions. To give our customers the latest technical developments, the general characteristics of our products may vary. The safety data sheet of this product is available at <u>www.motul.com</u>

MOTUL | www.motul.com

Creation Date: 02/2008 Revision Date: 11/2022